REFRIGERATION



A.T.C. 15 SERIES

SPECIFICATIONS

STANDARD FEATURES

- In-transit heavy duty compressor; engine mounted; belt driven
- Replaceable brush motor (Evap.)
- Spal Axial flow motor (Cond.)
- Cab mounted control assembly
- High/low pressure protection
- Condenser fan cycle control
- Automatic off cycle defrost control (medium temp)
- Automatic hot gas defrost (low temp)
- 2 HP 230/1/60 compressor drive motor (standby models)
- Oil separation system (low temp)

OPTIONAL FEATURES

- Hot water heat
- 12 volt water pump
- 2 HP 115/1/60 compressor drive motor
- Electric heat

MO	DEL	RETURN AIR	BTU/HR
15M	[35F (1.7C)	13,000
15L		0F (-17.8C)	6,300
15M	Έ	35F (1.7C)	11,000
15L	Е	0F (-17.8C)	4,750

APPLICATIONS

Full size vans



ADVANCED TEMPERATURE CONTROL

TRUCK REFRIGERATION SYSTEMS





FOR ALL YOUR TRUCK REFRIGERATION REQUIREMENTS "JOIN THE ATC TEAM"

ADVANCED TEMPERATURE CONTROL

1416 GRAHAM'S LANE BURLINGTON, ONTARIO, CANADA L7S 1W3

TEL: 905.637.3468 • FAX: 905.637.3363 WWW.ATC.CA

Manufactures high quality innovative refrigeration and heating systems.



TRUCK REFRIGERATION & HEATING SYSTEMS

DISTRIBUTED BY:

TRUCK



SPECIFICATIONS

STANDARD FEATURES

- Split design D.C driven
- Spal Axial flow motors
- Heavy duty D.C compressor drive motor
- Seltec compact compressor assembly
- Cab mounted control assembly
- High/low pressure protection
- Compressor time delay
- Condenser fan cycle control
- Automatic off cycle defrost control
- Internal drier assembly
- Copper tube/aluminum fin coils
- Compact ceiling mounted evaporator assembly
- Ceiling sweep airflow design

MODEL	RETURN AIR	BTU/HR
8M	35F (1.7C)	4,000

APPLICATIONS

Compact vans
Small pickup bodies

REFRIGERATION



A.T.C. 10 SERIES

SPECIFICATIONS

STANDARD FEATURES

- In-transit heavy duty compressor; engine mounted; belt driven
- Spal Axial flow motors
- Cab mounted control assembly
- High/low pressure protection
- Condenser fan cycle control
- Automatic off cycle defrost control
- Internal drier assembly
- Copper tube/aluminum fin coils
- Compact ceiling mounted evaporator assembly
- Ceiling sweep airflow design
- Two piece designed system

MODEL	RETURN AIR	BTU/HR
10M	35F (1.7C)	7,000

APPLICATIONS

Compact vans
Small pickup bodies

SYSTEMS



A.T.C. 12 SERIES

SPECIFICATIONS

STANDARD FEATURES

- In-transit heavy duty compressor; engine mounted; belt driven
- Spal Axial flow motors
- Cab mounted control assembly
- High/low pressure protection
- Condenser fan cycle control
- Automatic off cycle defrost control
- Internal drier assembly
- Copper tube/aluminum fin coils
- Compact ceiling mounted evaporator assembly
- Ceiling sweep airflow design
- Two piece designed system
- 2 HP 230/1/60 compressor drive motor (standby models)
- 2 HP 115/1/60 compressor drive motor (optional)

MODEL	RETURN AIR	BTU/HR
12M	35F (1.7C)	10,000
12ME	35F (1.7C)	7,600

APPLICATIONS

Full size vans
Small pickup bodies